



CBC / CABC - aluframe with sliding lids

CBC/CABC - aluframe with sliding lids



The reliable cooler for your products

The reliable cooler for your products



The CABC comes with sliding solid lids



A lock is easily mounted



Special divider separating area available



Products



Normally, bottle coolers are upright - at least that has been the tradition. So why change it?

Actually here are quite a few good reasons why:

- A chest cooler is easier to fill
- It offers a bigger advertising space, helping you to better profiling your brand
- The energy consumption is lower
- The cost per unit is significantly lower
- Chest coolers are easier to move
- They are robust and have a long service life

And if you try it yourself, you will surely come up with more good reasons.

Elcold offers a wide range of chest coolers, which can all be adapted to fit your logo colours. They come in sizes from 170 to 700 litres, covering practically every need.

So next time, you want to profile your brand, try to think horizontally, instead of vertically.

s for

The rigid aluminium-profile makes a strong frame



Digital thermometer which is easily readable is optional



Technical data

		CBC 18	CBC 22	CBC 35	CBC 45	CBC 53	CBC 61	CBC 73	CABC 18	CABC 22	CABC 35	CABC 45	CABC 53	CABC 61
Gross volume	litres	170	217	349	450	530	611	700	163	209	337	435	513	590
Net volume	litres	146	188	304	393	441	509	622	146	188	304	393	441	509
Gross volume	cu.ft.	6,1	7,7	12,5	16,1	18,9	21,8	25,0	5,8	7,5	12,1	15,5	18,3	21,1
Net volume	cu.ft.	5,2	6,7	10,9	14,0	15,8	18,2	22,2	5,2	6,7	10,9	14,0	15,8	18,2
A	mm	624	724	1054	1304	1504	1704	1800	624	724	1054	1304	1504	1704
B	mm	624	654	654	654	654	654	690	624	654	654	654	654	654
C	mm	916	916	916	916	916	916	916	916	916	916	916	916	916
D	mm	780	780	780	780	780	780	780	780	780	780	780	780	780
E	mm	510	606	936	1186	1386	1586	1686	510	606	936	1186	1386	1586
F	mm	310	406	736	986	1186	1386	1486	310	406	736	986	1186	1386
G	mm	510	536	536	536	536	536	576	510	536	536	536	536	536
H	mm	750	750	750	750	750	750	750	726	726	726	726	726	726
J	mm	475	500	500	500	500	500	500	476	495	495	495	495	495
L	mm	846	846	846	846	846	846	846	846	846	846	846	846	846
Castors		+	+	+	+	+	+	+	+	+	+	+	+	+
External thermometer		opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.
Lock		opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.
Baskets		opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.
Dividers		opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.	opt.

Subject to alterations. The technical specifications should be taken as a guidance.

